

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	25	@ad<"20000901" and ((associat\$3 correlat\$3) with (user\$2 (user adj (id identification))) with ((disk medium storage) adj2 (id identification)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 12:42
L2	5857	@ad<"20000901" and (associat\$3 correlat\$3) with (user\$2 (user adj (id identification))) with ((disk medium storage card))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 09:41
L3	250	@ad<"20000901" and (automatic\$4 with (associat\$3 correlat\$3) with (user\$2 (user adj (id identification))) with ((disk medium storage card)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 09:42
L4	0	@ad<"20000901" and (automatic\$4 with (associat\$3 correlat\$3) with (user\$2 (user adj (id identification))) with ((disk medium storage card)) with ("not" adj3 associated))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 09:42
L5	250	@ad<"20000901" and (automatic\$4 with (associat\$3 correlat\$3) with (user\$2 (user adj (id identification))) with ((disk medium storage card)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 09:43
L6	1	@ad<"20000901" and (determin\$5 near3 (associated correlated)) same (automatic\$4 with (associat\$3 correlat\$3) with (user\$2 (user adj (id identification))) with ((disk medium storage card)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 09:43
L7	9	@ad<"20000901" and (automatic\$4 near3 (associat\$3 correlat\$3) near3 (user\$2 (user adj (id identification))) near3 ((disk medium storage card)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 09:44
L8	30	@ad<"20000901" and (initializ\$5) same ((associat\$3 correlat\$3) with (id user) with (disc medium))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 09:47
L9	3450	@ad<"20000901" and ((register\$3 registration) with first with (user use))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 09:48
L10	302	@ad<"20000901" and ((register\$3 registration) with (first adj (user use)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 09:48
L11	25	@ad<"20000901" and ((register\$3 registration) with (first adj (user use)) with (id identification authenticat\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 09:58
L12	35	@ad<"20000901" and (((register\$3 registration) adj2 copy) with (id identification authenticat\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 10:00
L13	6	@ad<"20000901" and (((register\$3 registration) adj2 copy) with (id identification authenticat\$3) with user)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 10:03
L14	1	@ad<"20000901" and (((register\$3 registration) with copy) same ((version copy disc disk medium) adj (id identification authenticat\$3)) same user)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 10:05
L15	28	@ad<"20000901" and (((register\$3 registration) with (medium disc disk version)) same ((version copy disc disk medium) adj (id identification authenticat\$3)) same user)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 10:59

L17	1391	@ad<"20000901" and (database same ((serial disc disk cd medium) adj (number key id identif\$7)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 13:08
L18	768	@ad<"20000901" and (database with ((serial disc disk cd medium) adj (number key id identif\$7)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 13:08
L19	95	@ad<"20000901" and (database with ((serial disc disk cd medium) adj (number key id identif\$7)) with (regist\$7))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 13:08
L20	39 + will	@ad<"20000901" and (database with ((serial disc disk cd medium) adj (number key id identif\$7)) with (regist\$7)) and ("726".clas. "705".clas. "713".clas.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 13:12
L21	18	@ad<"20000901" and (database with ((serial disc disk cd medium) adj (number key id identif\$7)) with (regist\$7) same user) and ("726".clas. "705".clas. "713".clas.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 13:16
S3	94	@ad<"20000901" and 705/58.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 09:25
S85	3431	@ad<"20000901" and ((disk disc medium) adj2 (id identification))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/08 09:44

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L29	66	(I22 I23 I24 I25 I26) and @ad<"20000901" and (user adj (id identification identifier)) and ((serial disc disk cd medium) adj (number key id identif\$7))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 15:18
L28	6	(I22 I23 I24 I25 I26) and @ad<"20000901" and (user adj (id identification identifier)) and (database with ((serial disc disk cd medium) adj (number key id identif\$7)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 15:18
L27	233	(I22 I23 I24 I25 I26) and @ad<"20000901" and (user adj (id identification identifier))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 15:18
L22	1580	713/193,165.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 15:17
L26	65	726/31.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 15:16
L25	192	726/28.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 15:16
L24	1016	713/171,153.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 15:15
L23	362	705/55,56,58.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 15:15